

*BT concluded.*

associating a second record within said second data source to said virtual table;  
accessing said second record; and  
logically populating said virtual table with said first record and said second record, said first record populates a row in said virtual table, said second record also populates said row.

*C1 BT*

12. (Amended) A process for accessing a virtual table comprising:  
identifying a data source;  
associating a record within said data source to a virtual table, said record comprises a first column and a second column;  
accessing said record; and  
logically populating said virtual table with said record, both said first column and said second column of said record are used to populate a single column in said virtual table.

*BT*

15. (Amended) A process for accessing a virtual table comprising:  
identifying a first data source;  
associating a first record within said first data source to a first virtual table;  
accessing said first record;  
logically populating said first virtual table with said first record;  
identifying a second data source;  
associating a second record within said second data source to a second virtual table;  
accessing said second record;  
logically populating said second virtual table with said second record; and  
performing a data manipulation operation against both said first virtual table and said second virtual table.

*BT*

21. (Amended) A computer program product that includes a medium usable by a processor, the medium having stored thereon a sequence of instructions which, when executed by said processor, causes said processor to execute a process for accessing a virtual table, said process comprising:  
identifying a first data source;  
associating a first record within said first data source to a virtual table;  
accessing said first record;  
identifying a second data source;  
associating a second record within said second data source to said virtual table;  
accessing said second record; and

logically populating said virtual table with said first record and said second record, said first record populates a row in said virtual table, said second record also populates said row.

22. (Amended) A computer program product that includes a medium usable by a processor, the medium having stored thereon a sequence of instructions which, when executed by said processor, causes said processor to execute a process for accessing a virtual table, said process comprising:

- identifying a data source;
- associating a record within said data source to a virtual table, said record comprises a first column and a second column;
- accessing said record; and
- logically populating said virtual table with said record, both said first column and said second column of said record are used to populate a single column in said virtual table.

24. (Amended) A computer program product that includes a medium usable by a processor, the medium having stored thereon a sequence of instructions which, when executed by said processor, causes said processor to execute a process for accessing a virtual table, said process comprising:

- identifying a first data source;
- associating a first record within said first data source to a first virtual table;
- accessing said first record;
- logically populating said first virtual table with said first record;
- identifying a second data source;
- associating a second record within said second data source to a second virtual table;
- accessing said second record;
- logically populating said second virtual table with said second record; and
- performing a data manipulation operation against both said first virtual table and said second virtual table.

29. (Amended) A system for accessing a virtual table comprising:

- means for identifying a first data source;
- means for associating a first record within said first data source to a virtual table;
- means for accessing said first record;
- means for identifying a second data source;
- means for associating a second record within said second data source to said virtual table;
- means for accessing said second record; and

C) means for logically populating said virtual table with said first record and said second record, said first record populates a row in said virtual table, said second record also populates said row.

30. (Amended) A system for accessing a virtual table comprising:

means for identifying a data source;

means for associating a record within said data source to a virtual table, said record comprises a first column and a second column;

means for accessing said record; and

means for logically populating said virtual table with said record, both said first column and said second column of said record are used to populate a single column in said virtual table.

32. (Amended) A system for accessing a virtual table comprising:

means for identifying a first data source;

means for associating a first record within said first data source to a first virtual table;

means for accessing said first record;

means for logically populating said first virtual table with said first record;

means for identifying a second data source;

means for associating a second record within said second data source to a second virtual table;

means for accessing said second record;

means for logically populating said second virtual table with said second record; and

means for performing a data manipulation operation against both said first virtual table and said second virtual table.